

MP-53


Double Turnstile



For persons in outdoor areas


MP double turnstiles are the ideal solution for outdoor access control when two passages are required where space is limited. MP turnstiles can be precisely adapted to your intended purpose thanks to the drive variants offered: the electric motor-driven MP 152 turnstile is set in motion by means of an energy-efficient, maintenance-free MHTM™ drive unit – the first choice for representative security for outdoor areas and company grounds. The MP 53 has an electromechanical locking unit and the rotary movement is generated by users themselves – a popular variant at leisure parks and stadiums. Both drive versions can be controlled

by means of all conventional access control systems and can be operated in both throughflow directions as an option. The purely mechanical MP 50 turnstile only lets visitors pass in one direction and is thus particularly suitable for unmonitored exits at swimming pools and sports facilities. MP turnstiles can also be individually adapted to your requirements in other ways: with a variety of material options, interlock variants, additional attachments and expansions for bicycles, wheelchairs and the transport of material.




Two passages in one

MP double turnstiles are the optimum solution when two separate passages need to be set up in the most limited of spaces.



Innovative drive technology

The MHTM™ drive unit (optional) is maintenance-free, energy-efficient, and has an exceptional soft-start action.



Maximum safety

Low impact forces and sensitive contact detection offer optimum protection for users.



Easy access to components

All the components necessary for operation are accommodated in the main beams, considerably simplifying assembly, commissioning and maintenance.

ACCESS

AFC

IMMIGRATION

BOARDING

MP-53

Double Turnstile

- > Space-saving double system for two independent passageways
- > Mechanical, electromechanical or motorized designs available
- > Sensitive impact detection for maximum safety
- > Numerous options, e.g. expansion for wheelchair access
- > Meets European safety standards, e.g. EN 13241



Technical data	MP 152 3-wing	MP 152 4-wing	MP 53 3-wing	MP 53 4-wing	MP 50 3-wing	MP 50 4-wing
Number of wings (angle)	3 (120°)	4 (90°)	3 (120°)	4 (90°)	3 (120°)	4 (90°)
Drive technology	MHTM™		electromechanical		mechanical	
Voltage	110 – 240 VAC, 50/60 Hz		110 – 240 VAC, 50/60 Hz		–	
Power consumption	approx. 50 W		approx. 50 W		–	
Duty cycle	100 %		100 %		–	
Enclosure rating	IP 43		IP 43		IP 43	
Dimensions (L x W x H)	2210 x 1318 x 2235 mm	2071 x 1382 x 2235 mm	2210 x 1318 x 2235 mm	2071 x 1382 x 2235 mm	2210 x 1318 x 2235 mm	2071 x 1382 x 2235 mm
Weight	approx. 450 kg	approx. 500 kg	approx. 450 kg	approx. 500 kg	approx. 450 kg	approx. 500 kg
Temperature range	–25 to +55°C		–25 to +55°C		–25 to +55°C	

Options

Material	Galvanized steel, powder-coated steel in standard colors, powder-coated steel in special colors, stainless steel V4A
Reaction to power failure	Free access or auto-locking on power failure
Attachments	Anbausäule, Beleuchtung, Fundamentrahmen, Fundamentbefestigungssatz, Dach
Expansions	Controlled access for bicycles, wheelchairs and the transport of material (MPG 162)


Potential applications




Standard colors




MP 152/53/50 – 3-wing variants
View from inside



MP 152/53/50 – 3-wing variants
View from the side



MP 152/53/50 – 3-wing variants
View from below



Access to Progress

Magnetic stands for pioneering products – in every way. Our access control systems for vehicles or pedestrians clear the way for thousands of people every day – at car parks, toll gates, stations, airports and in buildings. Our technology is also pioneering, however: with innovative drives, intelligent control systems and well thought-out details it provides maximum safety and longevity. Are you also on the path to Magnetic?



Vehicle barriers

- Access barriers
- Parking barriers
- Toll barriers
- Special barriers



Pedestrian gates

- Turnstiles
- Swing gates
- Tripod gates
- Retractable gates
- Wing gates



Terminals

- Cars
- Trucks



K. KATSOU LIS - AUTOMATIC DOORS S.A.
58 Elaion Str, 14564 Kifisia, Athens, Greece
T: +30 210 6250203
F: +30 210 6253474
W: www.standoor.gr
E: contact@standoorhellas.gr